

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 13-9-2019 Revision date: 19-4-2023 Supersedes: 26-11-2021 Version: 3.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1. Product identifier**

Product form	:	Mixture
Product name	:	Eurol Nautic L. 15W-40 SHX
Product code	:	E100143
Product group	:	Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public Main use category Use of the substance/mixture Function or use category

- : Industrial use, professional use, Consumer use
- : Lubricant
- : Lubricants and additives

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Eurol B.V. Energiestraat 12 NL-7442 DA Nijverdal The Netherlands Tel: +31 548 615 165 reach@eurol.com - www.eurol.com

#### 1.4. Emergency telephone number

#### Emergency number

: For Transport Emergency Call +31 6 26 71 27 43 (24hr/day 7days/week)

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090 Msida	+356 2545 6508	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	NHS 111/NHS 24/NHS Direct		111 0845 4647	or call a doctor

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements	
Labelling according to Regulation (EC) No. 1272	/2008 [CLP]
Precautionary statements (CLP) EUH-statements	<ul> <li>P102 - Keep out of reach of children.</li> <li>EUH208 - Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs, calcium salts, Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated. May produce ar allergic reaction.</li> <li>EUH210 - Safety data sheet available on request.</li> </ul>
Child-resistant fastening Tactile warning	: Not applicable : Not applicable
2.3. Other hazards	
Other hazards not contributing to the classification	: This product floats on water and may affect the oxygen-balance in the water. The base oil contains less than 3% DMSO-extract measured according IP 346, therefore it is NOT classified as H350: May cause cancer" (Note L).". USED ENGINE OILS: Combustion products resulting from the operation of internal combustion engines contaminate engine oils during use. Used engine oil may contain hazardous components which have the potential to cause skin cancer. Frequent or prolonged contact with all types and makes of used engine oil must therefore be avoided and a high standard of personal hygiene maintained.

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### SECTION 3: Composition/information on ingredients

## 3.1. Substances

#### Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40°C). It contains a relatively large proportion of saturated hydrocarbons.]	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25	≥ 50	Asp. Tox. 1, H304
Highly refined mineral oil (C15 -C50) substance with a Community workplace exposure limit	REACH-no: 01-2119484627- 25; 01-2119487077-29: 01- 2119471299-27	5 – 10	Not classified
Highly refined base oil substance with a Community workplace exposure limit	CAS-No.: 64741-88-4 EC-No.: 265-090-8 REACH-no: 01-2119488706- 23	3 – 5	Not classified
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts	CAS-No.: 68784-31-6 EC-No.: 272-238-5 REACH-no: 01-2119657973- 23	1 – 3	Eye Dam. 1, H318 Aquatic Chronic 2, H411

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated	EC-No.: 953-650-0 EC Index-No.: 953-650-0	1 – 3	Skin Sens. 1B, H317 Repr. 2, H361d
Benzenesulfonic acid, methyl-, mono-C20-24- branched alkyl derivs., calcium salts	CAS-No.: 722503-68-6 EC-No.: 682-816-2	0,1 – 1	Skin Sens. 1B, H317

Full text of H- and EUH-statements: see section 16

### SECTION 4: First aid measures

First-aid measures general	: Seek medical attention if ill effect develops.
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effects,	both acute and delayed
Symptoms/effects after inhalation	: At normal ambient temperatures this product will be unlikely to present an inhalation hazard because of its low volatility. May be harmful by inhalation if exposure to vapour, mists or fumes resulting from thermal decomposition products occurs.
Symptoms/effects after skin contact	: Unlikely to cause harm to the skin on brief or occasional contact but prolonged or repeated exposure may lead to dermatitis. High pressure injection of product into the skin may lead t local necrosis if the product is not surgically removed.
Symptoms/effects after eye contact	: Unlikely to cause more than transient stinging or redness if accidental eye contact occurs.
Symptoms/effects after ingestion	: Bad taste. Unlikely to cause harm if accidentally swallowed in small doses, though larger quantities may cause nausea and diarrhoea.
Symptoms/effects upon intravenous administration	: Unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide. : Do not use a heavy water stream. Use of heavy stream of water may spread fire.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	<ul> <li>Combustion generates: CO, CO2, POx, NOx, SOx, H2S. Metal oxides.</li> <li>Not expected to be a fire/explosion hazard under normal conditions of use.</li> <li>Toxic fumes may be released.</li> </ul>	
5.3. Advice for firefighters		
Precautionary measures fire Firefighting instructions Protection during firefighting Other information	<ul> <li>Do not enter fire area without proper protective equipment, including respiratory protection.</li> <li>Use water spray or fog for cooling exposed containers.</li> <li>Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.</li> <li>Prevent fire fighting water from entering the environment. Sweep up and remove to a suitable, clearly marked container for disposal in accordance with local regulations.</li> </ul>	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures			
6.1. Personal precautions, prote	ctive equipment and emergency procedures		
General measures	: Spill area may be slippery. Prevent soil and water pollution. Prevent entry to sewers and public waters.		
6.1.1. For non-emergency personnel			
Protective equipment	: When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required. Use protective clothing.		
Emergency procedures	: Ventilate spillage area.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
Emergency procedures	: No specific measures are necessary.		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for co	ntainment and cleaning up		
For containment	: Large quantities: Contain large spillage with sand or earth.		
Methods for cleaning up	: Take up liquid spill into absorbent material.		
Other information	: Dispose of materials or solid residues at an authorized site.		

#### 6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Additional hazards when processed	: Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly.			
Precautions for safe handling Hygiene measures	<ul> <li>Ensure good ventilation of the work station. Wear personal protective equipment.</li> <li>Do no eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>			
7.2. Conditions for safe storage, includin	g any incompatibilities			
Technical measures Storage conditions	<ul> <li>Keep container tightly closed and in well ventilated place.</li> <li>Store in a well-ventilated place. Keep cool.</li> </ul>			
Incompatible products	: Reacts vigorously with strong oxidizers and acids.			
Maximum storage period	: 5 year			
Storage temperature Information on mixed storage	: ≤ 40 °C : Keep away from : Oxidizing materials. Strong acids.			
Storage area	: Store at ambient temperature.			
Special rules on packaging	: Keep container tightly closed and dry.			
7.3. Specific end use(s)				

No additional information available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
8.1.1 National occupational exposure and biological	limit values	
Highly refined mineral oil (C15 -C50)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOELV TWA (mg/m <sup>3</sup> ) 5 mg/m <sup>3</sup>		
Highly refined base oil (64741-88-4)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOELV TWA (mg/m <sup>3</sup> )	5 mg/m³	
IOELV STEL (mg/m <sup>3</sup> )	10 mg/m³	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

Exposure-value for oil mist

: 10 mg/m3 (15 min.) or 5 mg/m3 (8 hours).

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Gloves. In case of splash hazard: safety glasses. Eye protection should only be necessary where liquid could be splashed or sprayed. **Personal protective equipment symbol(s):** 



#### 8.2.2.1. Eye and face protection

**Eye protection:** Safety glasses

8.2.2.2. Skin protection

**Skin and body protection:** Wear suitable protective clothing

Hand protection: Protective gloves

Other skin protection

Materials for protective clothing:

PVC gloves. Neoprene or nitrile rubber gloves

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2.2.3. Respiratory protection

#### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment.

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

#### Consumer exposure controls:

PVC gloves. Neoprene or nitrile rubber gloves.

#### Other information:

Do not put the product-soaked rags into the pockets of working clothes. Do not use cloths stained with the product to dry hands. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke during use. Wash contaminated clothing before reuse.

## SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: brown.
Appearance	: Oily. Liquid.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: -39 °C ASTM D 97
Freezing point	: Not available
Boiling point	: > 280 °C
Flammability (solid, gas)	: Non flammable.
Explosive limits	: 0,6 – 7 vol %
Lower explosive limit (LEL)	: 0,6 vol %
Upper explosive limit (UEL)	: 7 vol %
Flash point	: 240 °C ASTM D 92
Auto-ignition temperature	: > 240 °C
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: 80 – 120 mm²/s at 40 °C, ASTM D 445
Solubility	: insoluble in water.
Log Kow	: Not available
Log Pow	: > 3
Vapour Pressure 20°C	: < 0,1 hPa
Vapour pressure at 50°C	: Not available
Density	: 0,86 – 0,89 kg/l ASTM D 4052
Relative density	: Not available
Relative vapour density at 20°C	: > 1 (air=1)
Particle characteristics	: Not applicable

#### 9.2. Other information

9.2.1. Information with regard to physical haza	ird classes
Explosion limits	: 0,6 – 7 vol %
9.2.2. Other safety characteristics	
Relative evaporation rate (butylacetate=1)	: < 0,1
VOC content	: 0 %
Other properties	: Gas/vapour heavier than air at 20°C

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878			
SECTION 10: Stability and reactivity			
10.1. Reactivity			
Stable under normal conditions of use.			
10.2. Chemical stability			
Stable under normal conditions.			
10.3. Possibility of hazardous reactions			
Refer to section 10.1 on Reactivity.			
10.4. Conditions to avoid			
Moisture. Overheating.			
10.5. Incompatible materials			
Strong oxidizing agents. Strong acids.			
10.6. Hazardous decomposition products			
CO, CO2, POx, NOx, SOx, H2S. Metallic oxides.			
SECTION 11: Toxicological information			
11.1. Information on hazard classes as define	d in Regulation (EC) No 1272/2008		
,	Not classified		
Acute toxicity (dermal) :	Not classified Not classified Not classified		
Acute toxicity (dermal) : Acute toxicity (inhalation) :	Not classified Not classified		
Acute toxicity (dermal) Acute toxicity (inhalation) Distillates (petroleum), hydrotreated heavy pa	Not classified		
Acute toxicity (dermal) Acute toxicity (inhalation) Distillates (petroleum), hydrotreated heavy pa obtained by treating a petroleum fraction with carbon numbers predominantly in the range	Not classified Not classified araffinic; Baseoil— unspecified; [A complex combination of hydrocarbons in hydrogen in the presence of a catalyst. It consists of hydrocarbons having of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F		
Acute toxicity (dermal) Acute toxicity (inhalation) Distillates (petroleum), hydrotreated heavy pa obtained by treating a petroleum fraction with carbon numbers predominantly in the range (19cSt at 40°C). It contains a relatively large p	Not classified Not classified araffinic; Baseoil— unspecified; [A complex combination of hydrocarbons in hydrogen in the presence of a catalyst. It consists of hydrocarbons having of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F proportion of saturated hydrocarbons.] (64742-54-7)		
Acute toxicity (dermal) Acute toxicity (inhalation) Distillates (petroleum), hydrotreated heavy pa obtained by treating a petroleum fraction with carbon numbers predominantly in the range (19cSt at 40°C). It contains a relatively large p LD50 oral rat	Not classified Not classified araffinic; Baseoil— unspecified; [A complex combination of hydrocarbons in hydrogen in the presence of a catalyst. It consists of hydrocarbons having of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F proportion of saturated hydrocarbons.] (64742-54-7) > 5000 mg/kg		
Acute toxicity (dermal)         Acute toxicity (inhalation)         Distillates (petroleum), hydrotreated heavy participation obtained by treating a petroleum fraction with carbon numbers predominantly in the range of (19cSt at 40°C). It contains a relatively large participation of the target of target	Not classified         araffinic; Baseoil— unspecified; [A complex combination of hydrocarbons in hydrogen in the presence of a catalyst. It consists of hydrocarbons having of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F proportion of saturated hydrocarbons.] (64742-54-7)         > 5000 mg/kg         > 2000 mg/kg		
Acute toxicity (dermal)	Not classified         araffinic; Baseoil— unspecified; [A complex combination of hydrocarbons hydrogen in the presence of a catalyst. It consists of hydrocarbons having of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F proportion of saturated hydrocarbons.] (64742-54-7)         > 5000 mg/kg         > 2000 mg/kg         > 5,53 mg/l		
Acute toxicity (dermal)         Acute toxicity (inhalation)         Distillates (petroleum), hydrotreated heavy participation obtained by treating a petroleum fraction with carbon numbers predominantly in the range of (19cSt at 40°C). It contains a relatively large participation of the range of the	Not classified         araffinic; Baseoil— unspecified; [A complex combination of hydrocarbons hydrogen in the presence of a catalyst. It consists of hydrocarbons having of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F         or oportion of saturated hydrocarbons.] (64742-54-7)         > 5000 mg/kg         > 2000 mg/kg         > 5,53 mg/l		
Acute toxicity (dermal)	Not classified         araffinic; Baseoil— unspecified; [A complex combination of hydrocarbons hydrogen in the presence of a catalyst. It consists of hydrocarbons having of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F proportion of saturated hydrocarbons.] (64742-54-7)         > 5000 mg/kg         > 2000 mg/kg         > 5,53 mg/l		
Acute toxicity (dermal)         Acute toxicity (inhalation)         Distillates (petroleum), hydrotreated heavy participation obtained by treating a petroleum fraction with carbon numbers predominantly in the range of (19cSt at 40°C). It contains a relatively large participation of the range of the	Not classified         araffinic; Baseoil— unspecified; [A complex combination of hydrocarbons hydrogen in the presence of a catalyst. It consists of hydrocarbons having of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F         or oportion of saturated hydrocarbons.] (64742-54-7)         > 5000 mg/kg         > 2000 mg/kg         > 5,53 mg/l         cu and 1,3-dimethylbutyl) esters, zinc salts (68784-31-6)         > 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal		
Acute toxicity (dermal)       :         Acute toxicity (inhalation)       :         Distillates (petroleum), hydrotreated heavy particle obtained by treating a petroleum fraction with carbon numbers predominantly in the range of (19cSt at 40°C). It contains a relatively large particle of the contains a relatively la	Not classified         araffinic; Baseoil— unspecified; [A complex combination of hydrocarbons hydrogen in the presence of a catalyst. It consists of hydrocarbons having of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F         or oportion of saturated hydrocarbons.] (64742-54-7)         > 5000 mg/kg         > 2000 mg/kg         > 5,53 mg/l         zu and 1,3-dimethylbutyl) esters, zinc salts (68784-31-6)         > 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal		
Acute toxicity (dermal)	Not classified         araffinic; Baseoil— unspecified; [A complex combination of hydrocarbons hydrogen in the presence of a catalyst. It consists of hydrocarbons having of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F proportion of saturated hydrocarbons.] (64742-54-7)         > 5000 mg/kg         > 2000 mg/kg         > 5,53 mg/l         u and 1,3-dimethylbutyl) esters, zinc salts (68784-31-6)         > 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)		
Acute toxicity (dermal)       :         Acute toxicity (inhalation)       :         Distillates (petroleum), hydrotreated heavy particle obtained by treating a petroleum fraction with carbon numbers predominantly in the range of (19cSt at 40°C). It contains a relatively large particle of the contract of the cont	Not classified         araffinic; Baseoil— unspecified; [A complex combination of hydrocarbons hydrogen in the presence of a catalyst. It consists of hydrocarbons having of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F proportion of saturated hydrocarbons.] (64742-54-7)         > 5000 mg/kg         > 5000 mg/kg         > 5,53 mg/l         and 1,3-dimethylbutyl) esters, zinc salts (68784-31-6)         > 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)         > 5000 mg/kg		
Acute toxicity (dermal)       :         Acute toxicity (inhalation)       :         Distillates (petroleum), hydrotreated heavy particle obtained by treating a petroleum fraction with carbon numbers predominantly in the range of (19cSt at 40°C). It contains a relatively large particle of the carbon rat         LD50 oral rat       LD50 dermal rat         LC50 Inhalation - Rat       Phosphorodithioic acid, mixed O,O-bis(sec-B)         LD50 dermal rat       LD50 dermal rat         LD50 dermal rat       LD50 dermal rabbit         LD50 dermal rat       LD50 dermal rabbit         LD50 oral rat       LD50 oral rat         LD50 dermal rat       LD50 dermal rat         LD50 dermal rat       LD50 oral rat         LD50 dermal rat       LD50 oral rat	Not classified   araffinic; Baseoil— unspecified; [A complex combination of hydrocarbons   hydrogen in the presence of a catalyst. It consists of hydrocarbons having   of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F   or portion of saturated hydrocarbons.] (64742-54-7)   > 5000 mg/kg   > 2000 mg/kg   > 5,53 mg/l   t and 1,3-dimethylbutyl) esters, zinc salts (68784-31-6)   > 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)   > 5000 mg/kg		
Acute toxicity (dermal)       :         Acute toxicity (inhalation)       :         Distillates (petroleum), hydrotreated heavy particle obtained by treating a petroleum fraction with carbon numbers predominantly in the range of (19cSt at 40°C). It contains a relatively large particle of the relation of the rela	Not classified   ar affinic; Baseoil unspecified; [A complex combination of hydrocarbons having of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F   brorportion of saturated hydrocarbons.] (64742-54-7)   > 5000 mg/kg   > 2000 mg/kg   > 5,53 mg/l   trand 1,3-dimethylbutyl) esters, zinc salts (68784-31-6)   > 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)   > 5000 mg/kg   > 5000 mg/kg   > 5000 mg/kg		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Germ cell mutagenicity :	Not classified
Carcinogenicity :	Not classified
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
STOT-repeated exposure :	Not classified
Phosphorodithioic acid, mixed O,O-bis(sec-B	u and 1,3-dimethylbutyl) esters, zinc salts (68784-31-6)
NOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- Day Oral Toxicity Study in Rodents)
Aspiration hazard :	Not classified
Eurol Nautic L. 15W-40 SHX	
Viscosity, kinematic	80 – 120 mm²/s at 40 °C, ASTM D 445
11.2. Information on other hazards	

### 11.2.1. Endocrine disrupting properties

No additional information available

### 11.2.2. Other information

Other information

: Toxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the toxicology of similar products, Likely route of exposure: ingestion, skin and eye.

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Ecology - water	: This product floats on water and may affect the oxygen-balance in the water.
Hazardous to the aquatic environment, short-term	: Not classified
(acute)	
Hazardous to the aquatic environment, long-term	: Not classified
(chronic)	

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40°C). It contains a relatively large proportion of saturated hydrocarbons.] (64742-54-7)

(		
LC50 fish 1	100 mg/l	
EC50 Daphnia 1	10000 mg/l	
EC50 72h - Algae [1]	> 100 mg/l	
Highly refined mineral oil (C15 -C50)		
EC50 other aquatic organisms 1	1,2 mg/l	
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts (68784-31-6)		
LC50 fish 1	46 mg/l Test organisms (species): Cyprinodon variegatus	
EC50 other aquatic organisms 1	1,2 mg/l invertebrates	
Highly refined base oil (64741-88-4)		
LC50 fish 1	> 100 mg/l Pimephales promelas	
EC50 Daphnia 1	> 10000 mg/l EC50 48h - Daphnia magna [mg/l]	
EC50 72h - Algae [1]	> 100 mg/l Pseudokirchneriella subcapitata	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.2. Persistence and degradability					
Eurol Nautic L. 15W-40 SHX					
Persistence and degradability Not readily biodegradable.					
Phosphorodithioic acid, mixed 0,0-bis(sec-B	u and 1,3-dimethylbutyl) esters, zinc salts (68784-31-6)				
Biodegradation < 5 %					
12.3. Bioaccumulative potential					
Eurol Nautic L. 15W-40 SHX					
Log Pow	> 3				
Bioaccumulative potential	This product is not expected to bioaccumulate through food chains in the environment.				
Phosphorodithioic acid, mixed 0,0-bis(sec-B	u and 1,3-dimethylbutyl) esters, zinc salts (68784-31-6)				
Log Pow	4,5				
12.4. Mobility in soil					
Eurol Nautic L. 15W-40 SHX					
Ecology - soil	Not miscible with water. Spillages may penetrate the soil causing ground water contamination. This product floats on water and may affect the oxygen-balance in the water.				
12.5. Results of PBT and vPvB assessment					
No additional information available					
12.6. Endocrine disrupting properties					
No additional information available					

12.7. Other adverse effects

No additional information available

#### **SECTION 13: Disposal considerations** 13.1. Waste treatment methods Regional legislation (waste) : Disposal must be done according to official regulations. : Dispose of contents/container in accordance with licensed collector's sorting instructions. Product/Packaging disposal recommendations Waste disposal recommendations Dispose in a safe manner in accordance with local/national regulations. Do not discharge ÷ into drains or the environment. Additional information : Hazardous waste. Ecology - waste materials Every mixture with foreign substances such as solvents, brake- and cooling liquids is : forbidden. Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly. When not empty dispose of this container at hazardous or special waste collection point. European List of Waste (LoW) code : 13 02 05\* - mineral-based non-chlorinated engine, gear and lubricating oils

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippin	g name	· · · · · ·		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard o	class(es)	' '		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group		· ·		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards	· · · · · ·		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

#### 14.6. Special precautions for user

Overland transport

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

## Inland waterway transport

Not applicable

#### Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

### Not applicable

### SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	
3(b)	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40°C). It contains a relatively large proportion of saturated hydrocarbons.]; Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts; Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts; Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated	
3(c)	Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts	

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### VOC Directive (2004/42)

VOC content

: 0 %

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

A chemical safety assessment has been carried out

### **SECTION 16: Other information**

Indication of changes			
Section	Changed item	Change	Comments
	Supersedes	Modified	
	Revision date	Modified	
	Flammability (solid, gas)	Added	
	Respiratory or skin sensitisation - comment	Added	
	Serious eye damage/irritation - comment	Added	
2.1	Adverse physicochemical, human health and environmental effects	Added	
2.3	Other hazards not contributing to the classification	Modified	
4.1	First-aid measures after skin contact	Modified	
4.1	First-aid measures after inhalation	Modified	
4.1	First-aid measures after ingestion	Modified	
4.1	First-aid measures after eye contact	Modified	
5.1	Suitable extinguishing media	Modified	
5.2	Hazardous decomposition products in case of fire	Added	
5.3	Protection during firefighting	Modified	
6.1	Protective equipment	Modified	
6.1	Emergency procedures	Modified	
6.2	Environmental precautions	Modified	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes			
Section	Changed item	Change	Comments
6.3	Methods for cleaning up	Modified	
6.3	Other information	Modified	
7.1	Precautions for safe handling	Modified	
7.1	Hygiene measures	Modified	
7.2	Storage conditions	Modified	
8.2	Environmental exposure controls	Modified	
8.2	Respiratory protection	Modified	
8.2	Hand protection	Modified	
8.2	Eye protection	Modified	
8.2	Appropriate engineering controls	Modified	
8.2	Skin and body protection	Modified	
9.1	Flash point	Modified	
9.1	Upper explosive limit (UEL)	Added	
9.1	Lower explosive limit (LEL)	Added	
9.1	Melting point	Modified	
9.1	Viscosity, kinematic	Modified	
9.1	Density	Modified	
12.1	Ecology - general	Modified	
13.1	Product/Packaging disposal recommendations	Added	
15.1	REACH Annex XVII	Added	
15.2	Chemical safety assessment	Added	
16	Abbreviations and acronyms	Added	
16	Data sources	Added	
16	Other information	Added	

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Data sources

Other information

 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
 None.

Full text of H- and EUH-statements:		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
EUH208	Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs, calcium salts, Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated. May produce an allergic reaction.	
EUH210	Safety data sheet available on request.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
H304	May be fatal if swallowed and enters airways.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H361d	Suspected of damaging the unborn child.	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H411	Toxic to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2
Skin Sens. 1B	Skin sensitisation, category 1B

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.