



Eurol SR 2000 Road Racing

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 20.02.2014 Revision date: 06.02.2024 Supersedes: 07.11.2023 Version: 4.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Eurol SR 2000 Road Racing
Product code : E128906
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Main use category : Industrial use, professional use, Consumer use
Use of the substance/mixture : Lubricant
Function or use category : Lubricants and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Eurol B.V.
Energiestraat 12
NL-7442 DA Nijverdal
The Netherlands
Tel: +31 548 615 165
reach@eurol.com - www.eurol.com

1.4. Emergency telephone number

Emergency number : For Transport Emergency Call +31 6 26 71 27 43 (24hr/day 7days/week)

| Country | Organisation/Company | Address | Emergency number | Comment |
|----------------|--|---|--|--------------------------------------|
| Ireland | National Poisons Information Centre Beaumont Hospital | PO Box 1297 Beaumont Road 9 Dublin | +353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7) | |
| Malta | Medicines & Poisons Info Office | Mater Dei Hospital Msida MSD 2090 Msida | +356 2545 6508 | |
| United Kingdom | National Poisons Information Service (Birmingham Centre) City Hospital | Dudley Road B18 7QH | 0344 892 0111 | Only for healthcare professionals |
| United Kingdom | NHS 111/NHS 24/NHS Direct | | 111 0845 4647 | or call a doctor |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, H412
Category 3

Full text of H- and EUH-statements: see section 16

Eurol SR 2000 Road Racing

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

| | | |
|--------------------------------|---|---|
| CLP Signal word | : | - |
| Hazard statements (CLP) | : | H412 - Harmful to aquatic life with long lasting effects. |
| Precautionary statements (CLP) | : | P102 - Keep out of reach of children. P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. |
| Child-resistant fastening | : | Not applicable |
| Tactile warning | : | Not applicable |

2.3. Other hazards

Other hazards not contributing to the classification : This product floats on water and may affect the oxygen-balance in the water. The base oil contains less than 3% DMSO-extract measured according IP 346, therefore it is NOT classified as H350: May cause cancer" (Note L).".

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

| Component | |
|--|---|
| phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched (121158-58-5) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

| Component | |
|---|---|
| phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched(121158-58-5) | The substance is included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 |

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|---------|---|
| Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics | EC-No.: 927-632-8 REACH-no: 01-2119457736-27 | 10 – 25 | Asp. Tox. 1, H304 |
| Highly refined mineral oil (C15 -C50) substance with a Community workplace exposure limit | REACH-no: 01-2119484627-25; 01-2119487077-29; 01-2119471299-27 | 5 – 10 | Not classified |
| 2,6-Di-tert-butylphenol | CAS-No.: 128-39-2 EC-No.: 204-884-0 REACH-no: 01-2119490822-33 | 1 – 3 | Skin Irrit. 2, H315 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |

Eurol SR 2000 Road Racing

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|---------|--|
| Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene | CAS-No.: 68411-46-1 EC-No.: 270-128-1 REACH-no: 01-2119491299-23 | 0,1 – 1 | Repr. 2, H361f |
| phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched substance listed as REACH Candidate (Phenol, alkylation products (mainly in para position) with C12-rich branched alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP)) | CAS-No.: 121158-58-5 EC-No.: 310-154-3 EC Index-No.: 604-092-00-9 REACH-no: 01-2119513207-49 | < 0,1 | Repr. 1B, H360F Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10) |
| ethanediol; ethylene glycol substance with national workplace exposure limit(s) (GB, IE, MT); substance with a Community workplace exposure limit | CAS-No.: 107-21-1 EC-No.: 203-473-3 EC Index-No.: 603-027-00-1 REACH-no: 01-2119456816-28 | < 0,1 | Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) STOT RE 2, H373 |
| diphenylamine substance with national workplace exposure limit(s) (GB, IE) | CAS-No.: 122-39-4 EC-No.: 204-539-4 EC Index-No.: 612-026-00-5 REACH-no: 01-2119488966-13 | < 0,1 | Acute Tox. 3 (Oral), H301 (ATE=100 mg/kg bodyweight) Acute Tox. 3 (Dermal), H311 (ATE=300 mg/kg bodyweight) Acute Tox. 3 (Inhalation), H331 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures general | : Seek medical attention if ill effect develops. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Wash skin with plenty of water. |
| First-aid measures after eye contact | : Rinse eyes with water as a precaution. |
| First-aid measures after ingestion | : Call a poison center or a doctor if you feel unwell. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|--|--|
| Symptoms/effects after inhalation | : At normal ambient temperatures this product will be unlikely to present an inhalation hazard because of its low volatility. May be harmful by inhalation if exposure to vapour, mists or fumes resulting from thermal decomposition products occurs. |
| Symptoms/effects after skin contact | : Unlikely to cause harm to the skin on brief or occasional contact but prolonged or repeated exposure may lead to dermatitis. High pressure injection of product into the skin may lead to local necrosis if the product is not surgically removed. |
| Symptoms/effects after eye contact | : Unlikely to cause more than transient stinging or redness if accidental eye contact occurs. |
| Symptoms/effects after ingestion | : Bad taste. Unlikely to cause harm if accidentally swallowed in small doses, though larger quantities may cause nausea and diarrhoea. |
| Symptoms/effects upon intravenous administration | : Unknown. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Eurol SR 2000 Road Racing

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Combustion generates: CO, CO₂, POx, NOx, SOx, H₂S. Metal oxides.
Explosion hazard : Not expected to be a fire/explosion hazard under normal conditions of use.
Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

- Precautionary measures fire : Do not enter fire area without proper protective equipment, including respiratory protection.
Firefighting instructions : Use water spray or fog for cooling exposed containers.
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information : Prevent fire fighting water from entering the environment. Sweep up and remove to a suitable, clearly marked container for disposal in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Spill area may be slippery. Prevent soil and water pollution. Prevent entry to sewers and public waters.

6.1.1. For non-emergency personnel

- Protective equipment : When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required. Use protective clothing.
Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : No specific measures are necessary.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- For containment : Large quantities: Contain large spillage with sand or earth.
Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly.
Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Eurol SR 2000 Road Racing

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep container tightly closed and in well ventilated place.
Storage conditions : Store in a well-ventilated place. Keep cool.
Incompatible products : Reacts vigorously with strong oxidizers and acids.
Maximum storage period : 5 year
Storage temperature : ≤ 40 °C
Information on mixed storage : Keep away from : Oxidizing materials. Strong acids.
Storage area : Store at ambient temperature.
Special rules on packaging : Keep container tightly closed and dry.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| Highly refined mineral oil (C15 -C50) | |
|---|--|
| EU - Indicative Occupational Exposure Limit (IOEL) | |
| IOELV TWA (mg/m ³) | 5 mg/m ³ |
| ethanediol; ethylene glycol (107-21-1) | |
| EU - Indicative Occupational Exposure Limit (IOEL) | |
| Local name | Ethylene glycol |
| IOELV TWA (mg/m ³) | 52 mg/m ³ |
| IOELV TWA (ppm) | 20 ppm |
| IOELV STEL (mg/m ³) | 104 mg/m ³ |
| IOELV STEL (ppm) | 40 ppm |
| Notes | Skin |
| Regulatory reference | COMMISSION DIRECTIVE 2000/39/EC |
| Ireland - Occupational Exposure Limits | |
| Local name | Ethane-1,2-diol [Ethylene glycol] |
| OEL (8 hours ref) (mg/m ³) | 10 mg/m ³ particulate 52 mg/m ³ vapour |
| OEL (8 hours ref) (ppm) | 20 ppm vapour |
| OEL (15 min ref) (mg/m ³) | 104 mg/m ³ vapour |
| OEL (15 min ref) (ppm) | 40 ppm vapour |
| Remark | Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) |
| Regulatory reference | Chemical Agents Code of Practice 2021 |
| Malta - Occupational Exposure Limits | |
| Local name | Ethylene glycol |
| OEL TWA (mg/m ³) | 52 mg/m ³ |

EuroI SR 2000 Road Racing

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| ethanediol; ethylene glycol (107-21-1) | |
|---|---|
| OEL TWA (ppm) | 20 ppm |
| OEL STEL (mg/m ³) | 104 mg/m ³ |
| OEL STEL (ppm) | 40 ppm |
| Remark | Skin # Gilda |
| Regulatory reference | S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021) |
| United Kingdom - Occupational Exposure Limits | |
| Local name | Ethane-1,2-diol |
| WEL TWA (mg/m ³) | 10 mg/m ³ particulate 52 mg/m ³ vapour |
| WEL TWA (ppm) | 20 ppm vapour |
| WEL STEL (mg/m ³) | 104 mg/m ³ vapour |
| WEL STEL (OEL STEL) [ppm] | 40 ppm vapour |
| Remark (WEL) | Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity) |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |
| diphenylamine (122-39-4) | |
| Ireland - Occupational Exposure Limits | |
| Local name | Diphenylamine |
| OEL (8 hours ref) (mg/m ³) | 10 mg/m ³ |
| OEL (15 min ref) (mg/m ³) | 20 mg/m ³ |
| Regulatory reference | Chemical Agents Code of Practice 2021 |
| United Kingdom - Occupational Exposure Limits | |
| Local name | Diphenylamine |
| WEL TWA (mg/m ³) | 10 mg/m ³ |
| WEL STEL (mg/m ³) | 20 mg/m ³ |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Exposure-value for oil mist : 10 mg/m³ (15 min.) or 5 mg/m³ (8 hours).

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. In case of splash hazard: safety glasses. Eye protection should only be necessary where liquid could be splashed or sprayed.

Eurol SR 2000 Road Racing

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Other skin protection

Materials for protective clothing:

PVC gloves. Neoprene or nitrile rubber gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Consumer exposure controls:

PVC gloves. Neoprene or nitrile rubber gloves.

Other information:

Do not put the product-soaked rags into the pockets of working clothes. Do not use cloths stained with the product to dry hands. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke during use. Wash contaminated clothing before reuse.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-----------------------------|---|
| Physical state | : Liquid |
| Colour | : brown. |
| Appearance | : Oily. Liquid. |
| Odour | : characteristic. |
| Odour threshold | : Not available |
| Melting point | : ≤ -24 °C ASTM D 97 |
| Freezing point | : Not available |
| Boiling point | : > 280 °C |
| Flammability (solid, gas) | : Non flammable. |
| Lower explosive limit (LEL) | : 0,6 vol % |
| Upper explosive limit (UEL) | : 7 vol % |
| Flash point | : 125 °C ASTM D 93 |
| Auto-ignition temperature | : > 240 °C |
| Decomposition temperature | : Not available |
| pH | : Not available |
| Viscosity, kinematic | : 250 – 750 mm ² /s at 40 °C, ASTM D 445 |
| Solubility | : insoluble in water. |
| Log Kow | : Not available |

Eurol SR 2000 Road Racing

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | |
|---------------------------------|--------------------------------|
| Log Pow | : > 3 |
| Vapour Pressure 20°C | : < 0,1 hPa |
| Vapour pressure at 50°C | : Not available |
| Density | : 0,88 – 0,89 kg/l ASTM D 4052 |
| Relative density | : Not available |
| Relative vapour density at 20°C | : > 1 (air=1) |
| Particle characteristics | : Not applicable |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Explosion limits : 0,6 – 7 vol %

9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1) : < 0,1
VOC content : 0 %
Other properties : Gas/vapour heavier than air at 20°C

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

Moisture. Overheating.

10.5. Incompatible materials

Strong oxidizing agents. Strong acids.

10.6. Hazardous decomposition products

CO, CO₂, PO_x, NO_x, SO_x, H₂S. Metal oxides.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

ethanediol; ethylene glycol (107-21-1)

| | |
|-----------------------|-----------------------------------|
| LD50 oral rat | 7712 mg/kg bodyweight Animal: rat |
| LD50 dermal | > 3500 mg/kg mouse |
| LC50 Inhalation - Rat | > 2,5 mg/l (6h) |

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)

| | |
|-----------------|--|
| LD50 oral rat | > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other: |
| LD50 dermal rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: |

Eurol SR 2000 Road Racing

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics | |
|---|--|
| LD50 oral rat | > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) |
| LD50 dermal rabbit | > 3160 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |
| LC50 Inhalation - Rat | > 5,266 mg/l/4h Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) |
| phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched (121158-58-5) | |
| LD50 oral rat | 2100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1620 - 2730 |
| LD50 dermal rabbit | ≈ 15000 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |
| 2,6-Di-tert-butylphenol (128-39-2) | |
| LD50 oral rat | > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) |
| LD50 dermal rabbit | > 10000 mg/kg |
| Skin corrosion/irritation | : Not classified |
| ethanediol; ethylene glycol (107-21-1) | |
| pH | 6 – 7,5 |
| Serious eye damage/irritation | : Not classified |
| ethanediol; ethylene glycol (107-21-1) | |
| pH | 6 – 7,5 |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics | |
| NOAEL (animal/female, F0/P) | ≥ 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 415 [One-Generation Reproduction Toxicity Study (before 9 October 2017)] |
| NOAEL (animal/female, F1) | ≥ 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 415 [One-Generation Reproduction Toxicity Study (before 9 October 2017)] |
| STOT-single exposure | : Not classified |
| STOT-repeated exposure | : Not classified |
| ethanediol; ethylene glycol (107-21-1) | |
| STOT-repeated exposure | May cause damage to organs (kidneys) through prolonged or repeated exposure (oral). |
| Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1) | |
| NOAEL (oral, rat, 90 days) | 25 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) |
| Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics | |
| NOAEL (oral, rat, 90 days) | ≥ 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) |
| NOAEL (dermal, rat/rabbit, 90 days) | > 495 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) |
| diphenylamine (122-39-4) | |
| STOT-repeated exposure | May cause damage to organs through prolonged or repeated exposure. |

Eurol SR 2000 Road Racing

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| 2,6-Di-tert-butylphenol (128-39-2) | |
|------------------------------------|---|
| NOAEL (oral, rat, 90 days) | 100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral)) |

Aspiration hazard : Not classified

| Eurol SR 2000 Road Racing | |
|---------------------------|---|
| Viscosity, kinematic | 250 – 750 mm ² /s at 40 °C, ASTM D 445 |

| Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1) | |
|--|---|
| Viscosity, kinematic | 352,7 mm ² /s Temp.: '40°C' Parameter: 'kinematic viscosity (in mm ² /s)' |

| Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics | |
|--|---|
| Viscosity, kinematic | 4,3 – 5,6 mm ² /s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm ² /s)' |

| phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched (121158-58-5) | |
|--|------------------------|
| Viscosity, kinematic | 450 mm ² /s |

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

| Component | |
|---|--|
| phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched(121158-58-5) | The substance is identified for having endocrine disrupting properties but there is no additional data available (see section 2.3) |

11.2.2. Other information

Other information : Toxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the toxicology of similar products, Likely route of exposure: ingestion, skin and eye.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.
Ecology - water : This product floats on water and may affect the oxygen-balance in the water.
Hazardous to the aquatic environment, short-term (acute) : Not classified
Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

| Highly refined mineral oil (C15 -C50) | |
|---------------------------------------|----------|
| EC50 other aquatic organisms 1 | 1,2 mg/l |

| ethanediol; ethylene glycol (107-21-1) | |
|--|---|
| LC50 fish 1 | > 72860 mg/l Test organisms (species): Pimephales promelas |
| EC50 Daphnia 1 | > 100 mg/l Test organisms (species): Daphnia magna |
| NOEC (chronic) | ≥ 1000 mg/l Test organisms (species): Americamysis bahia (previous name: Mysidopsis bahia) Duration: '23 d' |
| NOEC chronic fish | 15380 mg/l Pimephales promelas |
| NOEC chronic crustacea | 8590 mg/l daphnia |

| Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1) | |
|--|---|
| LC50 fish 1 | > 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) |

EuroI SR 2000 Road Racing

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1) | |
|---|---|
| EC50 Daphnia 1 | 51 mg/l Test organisms (species): Daphnia magna |
| EC50 72h - Algae [1] | > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| ErC50 (algae) | > 100 mg/l 72h |

| phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched (121158-58-5) | |
|---|--|
| EC50 Daphnia 1 | 0,037 mg/l Test organisms (species): Daphnia magna |
| EC50 72h - Algae [1] | 0,15 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| EC50 72h - Algae [2] | 0,36 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| LOEC (chronic) | 0,012 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |
| NOEC (chronic) | 0,0037 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |

| diphenylamine (122-39-4) | |
|---------------------------------|------------|
| LC50 fish 1 | 2,2 mg/l |
| EC50 Daphnia 1 | 2,3 mg/l |
| EC50 72h - Algae [1] | 0,048 mg/l |

| 2,6-Di-tert-butylphenol (128-39-2) | |
|---|--|
| LC50 fish 1 | 1,4 mg/l Test organisms (species): Pimephales promelas |
| EC50 Daphnia 1 | 0,45 mg/l Test organisms (species): Daphnia magna |
| EC50 72h - Algae [1] | 3,6 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| EC50 72h - Algae [2] | 1,4 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| EC50 96h - Algae [1] | 3,9 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| EC50 96h - Algae [2] | 1,2 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| ErC50 (algae) | 1000 mg/l 3h |
| LOEC (chronic) | 0,086 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |
| NOEC (chronic) | 0,035 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |

12.2. Persistence and degradability

| EuroI SR 2000 Road Racing | |
|----------------------------------|----------------------------|
| Persistence and degradability | Not readily biodegradable. |

| ethanediol; ethylene glycol (107-21-1) | |
|---|--|
| Persistence and degradability | Readily biodegradable in water. easily degradable in the soil. |
| Biochemical oxygen demand (BOD) | 0,47 g O ₂ /g substance |
| Chemical oxygen demand (COD) | 1,24 g O ₂ /g substance |
| ThOD | 1,29 g O ₂ /g substance |
| BOD (% of ThOD) | 0,36 |

Eurol SR 2000 Road Racing

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics | |
|---|--|
| Biodegradation | 74 % |
| phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched (121158-58-5) | |
| Persistence and degradability | Not readily biodegradable in water. |
| diphenylamine (122-39-4) | |
| Persistence and degradability | Not readily biodegradable in water. |
| ThOD | 2,39 g O ₂ /g substance |
| 12.3. Bioaccumulative potential | |
| Eurol SR 2000 Road Racing | |
| Log Pow | > 3 |
| Bioaccumulative potential | This product is not expected to bioaccumulate through food chains in the environment. |
| ethanediol; ethylene glycol (107-21-1) | |
| Log Pow | -1,36 |
| Bioaccumulative potential | No bioaccumulation. |
| Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1) | |
| Bioconcentration factor (BCF REACH) | 1730 |
| Log Pow | 5,1 |
| Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics | |
| Log Pow | > 4 |
| phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched (121158-58-5) | |
| BCF fish 1 | 749 – 823 |
| Bioconcentration factor (BCF REACH) | 794,33 |
| Log Pow | 7,14 |
| Log Kow | 7,14 |
| diphenylamine (122-39-4) | |
| BCF fish 1 | 51 – 253 |
| Log Pow | 3,22 – 3,5 |
| 2,6-Di-tert-butylphenol (128-39-2) | |
| Log Pow | 4,92 |
| 12.4. Mobility in soil | |
| Eurol SR 2000 Road Racing | |
| Ecology - soil | Not miscible with water. Spillages may penetrate the soil causing ground water contamination. This product floats on water and may affect the oxygen-balance in the water. |
| ethanediol; ethylene glycol (107-21-1) | |
| Surface tension | 0,048 N/m (20 °C) |

Eurol SR 2000 Road Racing

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched (121158-58-5) | |
|--|---|
| Surface tension | 42,2 mN/m |
| Log Koc | 4,4 – 4,67 |
| diphenylamine (122-39-4) | |
| Ecology - soil | May be harmful to plant growth, blooming and fruit formation. |

12.5. Results of PBT and vPvB assessment

| Component | |
|--|---|
| phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched (121158-58-5) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

12.6. Endocrine disrupting properties

| Component | |
|---|--|
| phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched(121158-58-5) | The substance is identified for having endocrine disrupting properties but there is no additional data available (see section 2.3) |

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

| | |
|--|---|
| Regional waste regulation | : Disposal must be done according to official regulations. |
| Product/Packaging disposal recommendations | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Waste disposal recommendations | : Dispose in a safe manner in accordance with local/national regulations. Do not discharge into drains or the environment. |
| Additional information | : Hazardous waste. |
| Ecology - waste materials | : Every mixture with foreign substances such as solvents, brake- and cooling liquids is forbidden. Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly. When not empty dispose of this container at hazardous or special waste collection point. |
| European List of Waste (LoW, EC 2000/532) | : 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils |

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|----------------------------------|----------------|----------------|----------------|----------------|
| 14.1. UN number or ID number | | | | |
| Not regulated for transport | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.2. UN proper shipping name | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.3. Transport hazard class(es) | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |

EuroI SR 2000 Road Racing

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| ADR | IMDG | IATA | ADN | RID |
|--|---|-----------------------------------|-----------------------------------|-----------------------------------|
| 14.4. Packing group | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.5. Environmental hazards | | | | |
| Dangerous for the environment: No | Dangerous for the environment: No Marine pollutant: No | Dangerous for the environment: No | Dangerous for the environment: No | Dangerous for the environment: No |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

No data available

Transport by sea

No data available

Air transport

No data available

Inland waterway transport

No data available

Rail transport

No data available

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

| EU restriction list (REACH Annex XVII) | |
|--|--|
| Reference code | Applicable on |
| 30. | phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched |

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains substance(s) listed on the REACH Candidate List in concentrations $\geq 0.1\%$ or SCL: Phenol, alkylation products (mainly in para position) with C12-rich branched alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP) (EC 310-154-3, CAS 121158-58-5)

PIC Regulation (Prior Informed Consent)

Contains substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals): Diphenylamine (122-39-4)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

EuroI SR 2000 Road Racing

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

VOC Directive (2004/42)

VOC content : 0 %

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

A chemical safety assessment has been carried out

SECTION 16: Other information

| Indication of changes | | | |
|-----------------------|---|----------|----------|
| Section | Changed item | Change | Comments |
| | Revision date | Modified | |
| | Supersedes | Modified | |
| 2.1 | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Modified | |
| 15.1 | REACH Annex XVII | Modified | |

Abbreviations and acronyms:

| | |
|--------|---|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BLV | Biological limit value |
| BOD | Biochemical oxygen demand (BOD) |
| COD | Chemical oxygen demand (COD) |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC-No. | European Community number |
| EC50 | Median effective concentration |
| EN | European Standard |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| LOAEL | Lowest Observed Adverse Effect Level |
| NOAEC | No-Observed Adverse Effect Concentration |

Eurol SR 2000 Road Racing

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Abbreviations and acronyms: | |
|-----------------------------|--|
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| OECD | Organisation for Economic Co-operation and Development |
| OEL | Occupational Exposure Limit |
| PBT | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS | Safety Data Sheet |
| STP | Sewage treatment plant |
| ThOD | Theoretical oxygen demand (ThOD) |
| TLM | Median Tolerance Limit |
| VOC | Volatile Organic Compounds |
| CAS-No. | Chemical Abstract Service number |
| N.O.S. | Not Otherwise Specified |
| vPvB | Very Persistent and Very Bioaccumulative |
| ED | Endocrine disrupting properties |

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

| Full text of H- and EUH-statements: | |
|-------------------------------------|---|
| Acute Tox. 3 (Dermal) | Acute toxicity (dermal), Category 3 |
| Acute Tox. 3 (Inhalation) | Acute toxicity (inhal.), Category 3 |
| Acute Tox. 3 (Oral) | Acute toxicity (oral), Category 3 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| Asp. Tox. 1 | Aspiration hazard, Category 1 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H311 | Toxic in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H331 | Toxic if inhaled. |
| H360F | May damage fertility. |

Eurol SR 2000 Road Racing

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:

| | |
|---------------|--|
| H361f | Suspected of damaging fertility. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| Repr. 1B | Reproductive toxicity, Category 1B |
| Repr. 2 | Reproductive toxicity, Category 2 |
| Skin Corr. 1C | Skin corrosion/irritation, Category 1, Sub-Category 1C |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| STOT RE 2 | Specific target organ toxicity – Repeated exposure, Category 2 |

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

| | | |
|-------------------|------|--------------------|
| Aquatic Chronic 3 | H412 | Calculation method |
|-------------------|------|--------------------|

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.