



Scooter oils 2T - Fully Synthetic

Eurol Super 2T Formax

Fully synthetic 2-stroke oil for very heavy duty engines

Description

Eurol 2T Formax is a fully synthetic 2-stroke oil for air and water cooled 2-stroke engines. It can be used in pre-mix and oil injection systems with both leaded and unleaded gasoline.

Eurol 2T Formax is recommended for very heavy loaded 2-stroke engines in applications like race, cross, competition, chain saws, jet ski and go-karts.

In all these applications, the strong lubricant film stays intact, also at high temperatures. This results in an optimum lubrication and protection of cylinders, pistons and bearings.

Eurol 2T Formax offers excellent deterging properties which prevent the building of carbon deposits. Exhaust ports and spark plugs are kept clean.

Eurol 2T Formax offers an excellent protection against rust and corrosion and prevents wear of heavy loaded parts.

Because of the special additives, Eurol 2T Formax is a low-smoke product which hardly smells. Eurol 2T Formax can also be used in snowmobiles and chain saws.

"Recommendation:

For the mixing ratio, always follow manufacturers instructions."

Performance level

- API TC+
- JASO FD
- Piaggio Hexagon
- ISO-L-EGD
- TISI
- Husqvarna 346
- Husqvarna 242

Physical properties

Colour	brown	
Density at 20°C	0.875 kg/l	ASTM D 4052
Viscosity, kinematic at 40°C	60.3 cSt	ASTM D 445
Viscosity, kinematic at 100°C	10 cSt	ASTM D 445
Viscosity Index	152	ASTM D 2270
Flash point	81 °C	ASTM D 93
Pour point	-51 °C	ASTM D 97

Article number E128433
Version 1.0, 04-03-2016

Eurol B.V. Energiestraat 12, 7442 DA Nijverdal, The Netherlands, tel. +31 548 61 51 65, www.eurol.com

This document is intended to inform you about product properties and possible applications of Eurol products. Because of continuous product research and development, the information in this document can be changed at all times, without foregoing notice. The analytical data in this product data sheet are typical values. Small deviations, which may occur during the normal manufacturing process of the product, will not affect the quality of the product. Although this information sheet is compiled with great care, Eurol accepts no liability for damage resulting from incompleteness and/or inaccuracies in the text. We recommend that you always follow the manufacturer's instructions.